# deafness-dystonia-optic neuronopathy syndrome

Deafness-dystonia-optic neuronopathy (DDON) syndrome, also known as Mohr-Tranebjærg syndrome, is characterized by hearing loss that begins early in life, problems with movement, impaired vision, and behavior problems. This condition occurs almost exclusively in males.

The first symptom of DDON syndrome is hearing loss caused by nerve damage in the inner ear (sensorineural hearing loss), which begins in early childhood. The hearing impairment worsens over time, and most affected individuals have profound hearing loss by age 10.

People with DDON syndrome typically begin to develop problems with movement during their teens, although the onset of these symptoms varies among affected individuals. Some people experience involuntary tensing of the muscles (dystonia), while others have difficulty coordinating movements (ataxia). The problems with movement usually worsen over time.

Individuals with DDON syndrome have normal vision during childhood, but they may begin to develop an increased sensitivity to light (photophobia) or other vision problems during their teens. These people often have a slowly progressive reduction in the sharpness of vision (visual acuity) and become legally blind in mid-adulthood.

People with this condition may also have behavior problems, including changes in personality and aggressive or paranoid behaviors. They also usually develop a gradual decline in thinking and reasoning abilities (dementia) in their forties. The lifespan of individuals with DDON syndrome depends on the severity of the disorder. People with severe cases have survived into their teenage years, while those with milder cases have lived into their sixties.

## Frequency

DDON syndrome is a rare disorder; it has been reported in fewer than 70 people worldwide.

# **Genetic Changes**

Mutations in the *TIMM8A* gene cause DDON syndrome. The protein produced from this gene is found inside the energy-producing centers of cells (mitochondria). The TIMM8A protein forms a complex (a group of proteins that work together) with a very similar protein called TIMM13. This complex functions by transporting other proteins within the mitochondria.

Most mutations in the *TIMM8A* gene result in the absence of functional TIMM8A protein inside the mitochondria, which prevents the formation of the TIMM8A/TIMM13 complex. Researchers believe that the lack of this complex leads to abnormal protein transport, although it is unclear how abnormal protein transport affects the function of the mitochondria and causes the signs and symptoms of DDON syndrome.

#### Inheritance Pattern

DDON syndrome is inherited in an X-linked recessive pattern. The gene associated with this condition is located on the X chromosome, which is one of the two sex chromosomes. In males (who have only one X chromosome), one altered copy of the gene in each cell is sufficient to cause the condition. In females (who have two X chromosomes), a mutation would have to occur in both copies of the gene to cause DDON syndrome. Because it is unlikely that females will have two altered copies of this gene, males are affected by X-linked recessive disorders much more frequently than females. Females who carry one altered copy of the *TIMM8A* gene are typically unaffected; however, they may develop mild hearing loss and dystonia. A characteristic of X-linked inheritance is that fathers cannot pass X-linked traits to their sons.

#### Other Names for This Condition

- Deafness-dystonia syndrome
- Mohr-Tranebjærg syndrome

# **Diagnosis & Management**

# **Genetic Testing**

 Genetic Testing Registry: Mohr-Tranebjaerg syndrome https://www.ncbi.nlm.nih.gov/gtr/conditions/C0796074/

## Other Diagnosis and Management Resources

 GeneReview: Deafness-Dystonia-Optic Neuronopathy Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1216

## General Information from MedlinePlus

- Diagnostic Tests
   https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html

- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

#### Additional Information & Resources

#### MedlinePlus

- Encyclopedia: Movement--Uncontrolled or Slow https://medlineplus.gov/ency/article/003197.htm
- Health Topic: Dystonia https://medlineplus.gov/dystonia.html
- Health Topic: Hearing Disorders and Deafness https://medlineplus.gov/hearingdisordersanddeafness.html
- Health Topic: Optic Nerve Disorders https://medlineplus.gov/opticnervedisorders.html
- Health Topic: Vision Impairment and Blindness https://medlineplus.gov/visionimpairmentandblindness.html

## Genetic and Rare Diseases Information Center

 Mohr-Tranebjaerg syndrome https://rarediseases.info.nih.gov/diseases/8331/mohr-tranebjaerg-syndrome

#### **Educational Resources**

- Disease InfoSearch: Mohr-Tranebjaerg syndrome http://www.diseaseinfosearch.org/Mohr-Tranebjaerg+syndrome/4848
- Kennedy Krieger Institute: Movement Disorders
   https://www.kennedykrieger.org/patient-care/diagnoses-disorders/movement-disorders
- MalaCards: mohr-tranebjaerg syndrome http://www.malacards.org/card/mohr\_tranebjaerg\_syndrome
- March of Dimes: Hearing Impairment http://www.marchofdimes.org/baby/hearing-impairment.aspx
- Orphanet: Mohr-Tranebjaerg syndrome http://www.orpha.net/consor/cgi-bin/OC\_Exp.php?Lng=EN&Expert=52368

# Patient Support and Advocacy Resources

- Dystonia Medical Research Foundation https://www.dystonia-foundation.org/what-is-dystonia/related-differential-disorders
- Resource list from the University of Kansas Medical Center: Blind/Visual impairment
  - http://www.kumc.edu/gec/support/visual.html
- Resource list from the University of Kansas Medical Center: Hard of Hearing/ Deafness
  - http://www.kumc.edu/gec/support/hearing.html

#### GeneReviews

 Deafness-Dystonia-Optic Neuronopathy Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1216

#### Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28deafness-dystonia-optic +neuronopathy+syndrome%5BTIAB%5D%29+OR+%28deafness-dystonia+s yndrome%5BTIAB%5D%29+OR+%28mohr-tranebjaerg+syndrome%5BTIAB%5D%29\*AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last +2880+days%22%5Bdp%5D

#### **OMIM**

 MOHR-TRANEBJAERG SYNDROME http://omim.org/entry/304700

## **Sources for This Summary**

- Bahmad F Jr, Merchant SN, Nadol JB Jr, Tranebjaerg L. Otopathology in Mohr-Tranebjaerg syndrome. Laryngoscope. 2007 Jul;117(7):1202-8.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17471106
   Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2515094/
- Binder J, Hofmann S, Kreisel S, Wöhrle JC, Bäzner H, Krauss JK, Hennerici MG, Bauer MF. Clinical and molecular findings in a patient with a novel mutation in the deafness-dystonia peptide (DDP1) gene. Brain. 2003 Aug;126(Pt 8):1814-20. Epub 2003 Jun 4. Review.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12805099
- GeneReview: Deafness-Dystonia-Optic Neuronopathy Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1216
- OMIM: MOHR-TRANEBJAERG SYNDROME http://omim.org/entry/304700

- Roesch K, Curran SP, Tranebjaerg L, Koehler CM. Human deafness dystonia syndrome is caused by a defect in assembly of the DDP1/TIMM8a-TIMM13 complex. Hum Mol Genet. 2002 Mar 1;11(5): 477-86.
  - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/11875042
- Tranebjaerg L, Schwartz C, Eriksen H, Andreasson S, Ponjavic V, Dahl A, Stevenson RE, May M, Arena F, Barker D, et al. A new X linked recessive deafness syndrome with blindness, dystonia, fractures, and mental deficiency is linked to Xq22. J Med Genet. 1995 Apr;32(4):257-63. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/7643352
   Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1050371/

# Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/deafness-dystonia-optic-neuronopathy-syndrome

Reviewed: September 2008 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services